



物料编号	型号	规格	额定电压	导体结构	电缆近似外径 mm	近似重量 kg/km	导体电阻 Ω /km
ANO06.004.02.000.50B	YSLCY	2X0.5	300/500V	18/0.19	5.2	45.79	39
ANO06.004.03.000.50B	YSLCY	3X0.5	300/500V	18/0.19	5.5	53.73	39
ANO06.004.04.000.50B	YSLCY	4X0.5	300/500V	18/0.19	6.2	68.20	39
ANO06.004.05.000.50B	YSLCY	5X0.5	300/500V	18/0.19	6.6	78.72	39
ANO06.004.06.000.50B	YSLCY	6X0.5	300/500V	18/0.19	7.3	95.15	39
ANO06.004.07.000.50B	YSLCY	7X0.5	300/500V	18/0.19	7.3	98.58	39
ANO06.004.08.000.50B	YSLCY	8X0.5	300/500V	18/0.19	7.9	114.56	39
ANO06.004.09.000.50B	YSLCY	9X0.5	300/500V	18/0.19	8.7	135.70	39
ANO06.004.10.000.50B	YSLCY	10X0.5	300/500V	18/0.19	9.2	151.37	39
ANO06.004.11.000.50B	YSLCY	11X0.5	300/500V	18/0.19	9.5	162.46	39
ANO06.004.12.000.50B	YSLCY	12X0.5	300/500V	18/0.19	9.5	165.88	39
ANO06.004.13.000.50B	YSLCY	13X0.5	300/500V	18/0.19	10.0	182.61	39
ANO06.004.14.000.50B	YSLCY	14X0.5	300/500V	18/0.19	10.0	186.04	39
ANO06.004.15.000.50B	YSLCY	15X0.5	300/500V	18/0.19	10.7	210.96	39
ANO06.004.16.000.50B	YSLCY	16X0.5	300/500V	18/0.19	10.7	214.37	39
ANO06.004.17.000.50B	YSLCY	17X0.5	300/500V	18/0.19	11.2	232.78	39
ANO06.004.18.000.50B	YSLCY	18X0.5	300/500V	18/0.19	11.2	236.21	39
ANO06.004.19.000.50B	YSLCY	19X0.5	300/500V	18/0.19	11.2	239.63	39
ANO06.004.20.000.50B	YSLCY	20X0.5	300/500V	18/0.19	11.5	252.37	39
ANO06.004.21.000.50B	YSLCY	21X0.5	300/500V	18/0.19	11.8	265.33	39
ANO06.004.22.000.50B	YSLCY	22X0.5	300/500V	18/0.19	12.4	288.58	39
ANO06.004.23.000.50B	YSLCY	23X0.5	300/500V	18/0.19	13.2	317.48	39
ANO06.004.24.000.50B	YSLCY	24X0.5	300/500V	18/0.19	13.2	320.91	39
ANO06.004.25.000.50B	YSLCY	25X0.5	300/500V	18/0.19	13.5	335.19	39
ANO06.004.26.000.50B	YSLCY	26X0.5	300/500V	18/0.19	13.5	338.61	39
ANO06.004.27.000.50B	YSLCY	27X0.5	300/500V	18/0.19	13.5	342.03	39
ANO06.004.28.000.50B	YSLCY	28X0.5	300/500V	18/0.19	14.0	364.05	39
ANO06.004.29.000.50B	YSLCY	29X0.5	300/500V	18/0.19	14.0	367.46	39
ANO06.004.30.000.50B	YSLCY	30X0.5	300/500V	18/0.19	14.0	370.89	39
ANO06.004.31.000.50B	YSLCY	31X0.5	300/500V	18/0.19	14.4	389.67	39
ANO06.004.32.000.50B	YSLCY	32X0.5	300/500V	18/0.19	14.4	393.09	39
ANO06.004.33.000.50B	YSLCY	33X0.5	300/500V	18/0.19	14.4	396.52	39
ANO06.004.34.000.50B	YSLCY	34X0.5	300/500V	18/0.19	15.1	427.14	39
ANO06.004.35.000.50B	YSLCY	35X0.5	300/500V	18/0.19	15.1	430.56	39
ANO06.004.36.000.50B	YSLCY	36X0.5	300/500V	18/0.19	15.1	433.98	39
ANO06.004.37.000.50B	YSLCY	37X0.5	300/500V	18/0.19	15.1	437.41	39
ANO06.004.02.000.75B	YSLCY	2X0.75	300/500V	27/0.19	5.6	55.45	26
ANO06.004.03.000.75B	YSLCY	3X0.75	300/500V	27/0.19	6.1	68.44	26
ANO06.004.04.000.75B	YSLCY	4X0.75	300/500V	27/0.19	6.6	82.47	26
ANO06.004.05.000.75B	YSLCY	5X0.75	300/500V	27/0.19	7.4	102.72	26



ANO06.004.06.000.75B	YSLCY	6X0.75	300/500V	27/0.19	7.9	118.46	26
ANO06.004.07.000.75B	YSLCY	7X0.75	300/500V	27/0.19	7.9	123.68	26
ANO06.004.08.000.75B	YSLCY	8X0.75	300/500V	27/0.19	8.7	146.63	26
ANO06.004.09.000.75B	YSLCY	9X0.75	300/500V	27/0.19	9.5	171.75	26
ANO06.004.10.000.75B	YSLCY	10X0.75	300/500V	27/0.19	10.0	190.28	26
ANO06.004.11.000.75B	YSLCY	11X0.75	300/500V	27/0.19	10.6	214.08	26
ANO06.004.12.000.75B	YSLCY	12X0.75	300/500V	27/0.19	10.6	219.30	26
ANO06.004.13.000.75B	YSLCY	13X0.75	300/500V	27/0.19	11.1	239.36	26
ANO06.004.14.000.75B	YSLCY	14X0.75	300/500V	27/0.19	11.1	244.58	26
ANO06.004.15.000.75B	YSLCY	15X0.75	300/500V	27/0.19	11.7	268.49	26
ANO06.004.16.000.75B	YSLCY	16X0.75	300/500V	27/0.19	11.7	273.70	26
ANO06.004.17.000.75B	YSLCY	17X0.75	300/500V	27/0.19	12.2	295.24	26
ANO06.004.18.000.75B	YSLCY	18X0.75	300/500V	27/0.19	12.2	300.46	26
ANO06.004.19.000.75B	YSLCY	19X0.75	300/500V	27/0.19	12.2	305.67	26
ANO06.004.20.000.75B	YSLCY	20X0.75	300/500V	27/0.19	12.5	320.99	26
ANO06.004.21.000.75B	YSLCY	21X0.75	300/500V	27/0.19	13.1	344.75	26
ANO06.004.22.000.75B	YSLCY	22X0.75	300/500V	27/0.19	13.9	379.19	26
ANO06.004.23.000.75B	YSLCY	23X0.75	300/500V	27/0.19	14.4	403.55	26
ANO06.004.24.000.75B	YSLCY	24X0.75	300/500V	27/0.19	14.4	408.76	26
ANO06.004.25.000.75B	YSLCY	25X0.75	300/500V	27/0.19	14.7	425.78	26
ANO06.004.26.000.75B	YSLCY	26X0.75	300/500V	27/0.19	14.7	430.99	26
ANO06.004.27.000.75B	YSLCY	27X0.75	300/500V	27/0.19	14.7	436.20	26
ANO06.004.28.000.75B	YSLCY	28X0.75	300/500V	27/0.19	15.4	469.15	26
ANO06.004.29.000.75B	YSLCY	29X0.75	300/500V	27/0.19	15.4	474.37	26
ANO06.004.30.000.75B	YSLCY	30X0.75	300/500V	27/0.19	15.4	479.59	26
ANO06.004.31.000.75B	YSLCY	31X0.75	300/500V	27/0.19	16.0	510.23	26
ANO06.004.32.000.75B	YSLCY	32X0.75	300/500V	27/0.19	16.0	515.45	26
ANO06.004.33.000.75B	YSLCY	33X0.75	300/500V	27/0.19	16.0	520.65	26
ANO06.004.34.000.75B	YSLCY	34X0.75	300/500V	27/0.19	16.5	547.77	26
ANO06.004.35.000.75B	YSLCY	35X0.75	300/500V	27/0.19	16.5	552.98	26
ANO06.004.36.000.75B	YSLCY	36X0.75	300/500V	27/0.19	16.5	558.20	26
ANO06.004.37.000.75B	YSLCY	37X0.75	300/500V	27/0.19	16.5	563.40	26
ANO06.004.02.001.50B	YSLCY	2X1.5	300/500V	31/0.25	7.0	89.54	13.3
ANO06.004.03.001.50B	YSLCY	3X1.5	300/500V	31/0.25	7.4	107.88	13.3
ANO06.004.04.001.50B	YSLCY	4X1.5	300/500V	31/0.25	8.0	131.00	13.3
ANO06.004.05.001.50B	YSLCY	5X1.5	300/500V	31/0.25	8.9	161.80	13.3
ANO06.004.06.001.50B	YSLCY	6X1.5	300/500V	31/0.25	9.6	189.89	13.3
ANO06.004.07.001.50B	YSLCY	7X1.5	300/500V	31/0.25	9.6	200.30	13.3
ANO06.004.08.001.50B	YSLCY	8X1.5	300/500V	31/0.25	10.7	242.92	13.3
ANO06.004.09.001.50B	YSLCY	9X1.5	300/500V	31/0.25	11.6	280.81	13.3
ANO06.004.10.001.50B	YSLCY	10X1.5	300/500V	31/0.25	12.3	314.06	13.3
ANO06.004.11.001.50B	YSLCY	11X1.5	300/500V	31/0.25	12.9	344.42	13.3



ANO06.004.12.001.50B	YSLCY	12X1.5	300/500V	31/0.25	12.9	354.82	13.3
ANO06.004.13.001.50B	YSLCY	13X1.5	300/500V	31/0.25	13.6	388.65	13.3
ANO06.004.14.001.50B	YSLCY	14X1.5	300/500V	31/0.25	13.6	399.06	13.3
ANO06.004.15.001.50B	YSLCY	15X1.5	300/500V	31/0.25	14.3	435.90	13.3
ANO06.004.16.001.50B	YSLCY	16X1.5	300/500V	31/0.25	14.3	446.31	13.3
ANO06.004.17.001.50B	YSLCY	17X1.5	300/500V	31/0.25	15.2	491.89	13.3
ANO06.004.18.001.50B	YSLCY	18X1.5	300/500V	31/0.25	15.2	502.30	13.3
ANO06.004.19.001.50B	YSLCY	19X1.5	300/500V	31/0.25	15.2	512.71	13.3
ANO06.004.20.001.50B	YSLCY	20X1.5	300/500V	31/0.25	15.6	539.74	13.3
ANO06.004.21.001.50B	YSLCY	21X1.5	300/500V	31/0.25	16.0	567.20	13.3
ANO06.004.22.001.50B	YSLCY	22X1.5	300/500V	31/0.25	16.9	617.53	13.3
ANO06.004.23.001.50B	YSLCY	23X1.5	300/500V	31/0.25	17.8	669.17	13.3
ANO06.004.24.001.50B	YSLCY	24X1.5	300/500V	31/0.25	17.8	679.59	13.3
ANO06.004.25.001.50B	YSLCY	25X1.5	300/500V	31/0.25	18.2	709.39	13.3
ANO06.004.26.001.50B	YSLCY	26X1.5	300/500V	31/0.25	18.2	719.80	13.3
ANO06.004.27.001.50B	YSLCY	27X1.5	300/500V	31/0.25	18.2	730.21	13.3
ANO06.004.28.001.50B	YSLCY	28X1.5	300/500V	31/0.25	18.8	770.46	13.3
ANO06.004.29.001.50B	YSLCY	29X1.5	300/500V	31/0.25	18.8	780.87	13.3
ANO06.004.30.001.50B	YSLCY	30X1.5	300/500V	31/0.25	18.8	791.29	13.3
ANO06.004.31.001.50B	YSLCY	31X1.5	300/500V	31/0.25	19.7	847.39	13.3
ANO06.004.32.001.50B	YSLCY	32X1.5	300/500V	31/0.25	19.7	857.80	13.3
ANO06.004.33.001.50B	YSLCY	33X1.5	300/500V	31/0.25	19.7	868.21	13.3
ANO06.004.34.001.50B	YSLCY	34X1.5	300/500V	31/0.25	20.4	916.30	13.3
ANO06.004.35.001.50B	YSLCY	35X1.5	300/500V	31/0.25	20.4	926.72	13.3
ANO06.004.36.001.50B	YSLCY	36X1.5	300/500V	31/0.25	20.4	937.12	13.3
ANO06.004.37.001.50B	YSLCY	37X1.5	300/500V	31/0.25	20.4	947.54	13.3
ANO06.004.02.002.50B	YSLCY	2X2.5	300/500V	51/0.25	8.0	123.97	7.98
ANO06.004.03.002.50B	YSLCY	3X2.5	300/500V	51/0.25	8.7	156.83	7.98
ANO06.004.04.002.50B	YSLCY	4X2.5	300/500V	51/0.25	9.5	194.02	7.98
ANO06.004.05.002.50B	YSLCY	5X2.5	300/500V	51/0.25	10.6	243.22	7.98
ANO06.004.06.002.50B	YSLCY	6X2.5	300/500V	51/0.25	11.4	284.61	7.98
ANO06.004.07.002.50B	YSLCY	7X2.5	300/500V	51/0.25	11.4	301.92	7.98
ANO06.004.08.002.50B	YSLCY	8X2.5	300/500V	51/0.25	12.3	348.36	7.98
ANO06.004.09.002.50B	YSLCY	9X2.5	300/500V	51/0.25	13.8	416.44	7.98
ANO06.004.10.002.50B	YSLCY	10X2.5	300/500V	51/0.25	14.6	464.45	7.98
ANO06.004.11.002.50B	YSLCY	11X2.5	300/500V	51/0.25	15.3	509.33	7.98
ANO06.004.12.002.50B	YSLCY	12X2.5	300/500V	51/0.25	15.3	526.62	7.98
ANO06.004.13.002.50B	YSLCY	13X2.5	300/500V	51/0.25	16.1	577.81	7.98
ANO06.004.14.002.50B	YSLCY	14X2.5	300/500V	51/0.25	16.1	595.11	7.98
ANO06.004.15.002.50B	YSLCY	15X2.5	300/500V	51/0.25	16.9	648.02	7.98
ANO06.004.16.002.50B	YSLCY	16X2.5	300/500V	51/0.25	16.9	665.30	7.98
ANO06.004.17.002.50B	YSLCY	17X2.5	300/500V	51/0.25	17.9	728.66	7.98



ANO06.004.18.002.50B	YSLCY	18X2.5	300/500V	51/0.25	17.9	745.95	7.98
ANO06.004.19.002.50B	YSLCY	19X2.5	300/500V	51/0.25	17.9	763.26	7.98
ANO06.004.20.002.50B	YSLCY	20X2.5	300/500V	51/0.25	18.4	804.97	7.98
ANO06.004.21.002.50B	YSLCY	21X2.5	300/500V	51/0.25	18.8	842.29	7.98
ANO06.004.22.002.50B	YSLCY	22X2.5	300/500V	51/0.25	20.2	932.05	7.98
ANO06.004.23.002.50B	YSLCY	23X2.5	300/500V	51/0.25	21.3	1003.99	7.98
ANO06.004.24.002.50B	YSLCY	24X2.5	300/500V	51/0.25	21.3	1021.28	7.98
ANO06.004.25.002.50B	YSLCY	25X2.5	300/500V	51/0.25	22.0	1078.08	7.98
ANO06.004.26.002.50B	YSLCY	26X2.5	300/500V	51/0.25	22.0	1095.38	7.98
ANO06.004.27.002.50B	YSLCY	27X2.5	300/500V	51/0.25	22.0	1112.68	7.98
ANO06.004.28.002.50B	YSLCY	28X2.5	300/500V	51/0.25	22.8	1177.78	7.98
ANO06.004.29.002.50B	YSLCY	29X2.5	300/500V	51/0.25	22.8	1195.07	7.98
ANO06.004.30.002.50B	YSLCY	30X2.5	300/500V	51/0.25	22.8	1212.37	7.98
ANO06.004.31.002.50B	YSLCY	31X2.5	300/500V	51/0.25	23.6	1279.17	7.98
ANO06.004.32.002.50B	YSLCY	32X2.5	300/500V	51/0.25	23.6	1296.47	7.98
ANO06.004.33.002.50B	YSLCY	33X2.5	300/500V	51/0.25	23.6	1313.78	7.98
ANO06.004.34.002.50B	YSLCY	34X2.5	300/500V	51/0.25	24.6	1394.26	7.98
ANO06.004.35.002.50B	YSLCY	35X2.5	300/500V	51/0.25	24.6	1411.56	7.98
ANO06.004.36.002.50B	YSLCY	36X2.5	300/500V	51/0.25	24.6	1428.86	7.98
ANO06.004.37.002.50B	YSLCY	37X2.5	300/500V	51/0.25	24.6	1446.16	7.98
ANO06.004.02.004.00B	YSLCY	2X4	300/500V	82/0.25	9.6	183.62	4.95
ANO06.004.03.004.00B	YSLCY	3X4	300/500V	82/0.25	10.2	227.93	4.95
ANO06.004.04.004.00B	YSLCY	4X4	300/500V	82/0.25	11.4	293.19	4.95
ANO06.004.05.004.00B	YSLCY	5X4	300/500V	82/0.25	12.5	357.18	4.95
ANO06.004.06.004.00B	YSLCY	6X4	300/500V	82/0.25	13.8	429.31	4.95
ANO06.004.07.004.00B	YSLCY	7X4	300/500V	82/0.25	13.8	457.40	4.95
ANO06.004.08.004.00B	YSLCY	8X4	300/500V	82/0.25	15.1	535.58	4.95
ANO06.004.09.004.00B	YSLCY	9X4	300/500V	82/0.25	16.6	627.81	4.95
ANO06.004.10.004.00B	YSLCY	10X4	300/500V	82/0.25	17.8	710.69	4.95
ANO06.004.11.004.00B	YSLCY	11X4	300/500V	82/0.25	18.4	768.02	4.95
ANO06.004.12.004.00B	YSLCY	12X4	300/500V	82/0.25	18.4	796.10	4.95
ANO06.004.13.004.00B	YSLCY	13X4	300/500V	82/0.25	19.5	879.37	4.95
ANO06.004.14.004.00B	YSLCY	14X4	300/500V	82/0.25	19.5	907.47	4.95
ANO06.004.15.004.00B	YSLCY	15X4	300/500V	82/0.25	20.9	1004.98	4.95
ANO06.004.16.004.00B	YSLCY	16X4	300/500V	82/0.25	20.9	1033.07	4.95
ANO06.004.17.004.00B	YSLCY	17X4	300/500V	82/0.25	22.1	1129.06	4.95
ANO06.004.18.004.00B	YSLCY	18X4	300/500V	82/0.25	22.1	1157.17	4.95
ANO06.004.19.004.00B	YSLCY	19X4	300/500V	82/0.25	22.1	1185.25	4.95
ANO06.004.02.006.00B	YSLCY	2X6	300/500V	123/0.25	11.5	268.01	3.3
ANO06.004.03.006.00B	YSLCY	3X6	300/500V	123/0.25	12.2	332.70	3.3
ANO06.004.04.006.00B	YSLCY	4X6	300/500V	123/0.25	13.7	425.13	3.3
ANO06.004.05.006.00B	YSLCY	5X6	300/500V	123/0.25	15.1	520.96	3.3



ANO06.004.06.006.00B	YSLCY	6X6	300/500V	123/0.25	16.4	618.21	3.3
ANO06.004.07.006.00B	YSLCY	7X6	300/500V	123/0.25	16.4	660.25	3.3
ANO06.004.02.010.00B	YSLCY	2X10	300/500V	77/0.4	14.4	420.18	1.91
ANO06.004.03.010.00B	YSLCY	3X10	300/500V	77/0.4	15.5	532.18	1.91
ANO06.004.04.010.00B	YSLCY	4X10	300/500V	77/0.4	17.2	674.62	1.91
ANO06.004.05.010.00B	YSLCY	5X10	300/500V	77/0.4	18.8	820.38	1.91
ANO06.004.06.010.00B	YSLCY	6X10	300/500V	77/0.4	21.0	998.84	1.91
ANO06.004.07.010.00B	YSLCY	7X10	300/500V	77/0.4	21.0	1067.12	1.91
ANO06.004.02.016.00B	YSLCY	2X16	300/500V	126/0.4	17.2	619.28	1.21
ANO06.004.03.016.00B	YSLCY	3X16	300/500V	126/0.4	18.3	780.71	1.21
ANO06.004.04.016.00B	YSLCY	4X16	300/500V	126/0.4	20.3	992.47	1.21
ANO06.004.05.016.00B	YSLCY	5X16	300/500V	126/0.4	22.8	1237.84	1.21
ANO06.004.06.016.00B	YSLCY	6X16	300/500V	126/0.4	25.0	1485.84	1.21
ANO06.004.07.016.00B	YSLCY	7X16	300/500V	126/0.4	25.0	1594.74	1.21
ANO06.004.02.001.00B	YSLCY	2X1	300/500V	35/0.19	6.2	68.31	19.5
ANO06.004.03.001.00B	YSLCY	3X1	300/500V	35/0.19	6.6	82.31	19.5
ANO06.004.04.001.00B	YSLCY	4X1	300/500V	35/0.19	7.3	102.23	19.5
ANO06.004.05.001.00B	YSLCY	5X1	300/500V	35/0.19	7.9	121.68	19.5
ANO06.004.06.001.00B	YSLCY	6X1	300/500V	35/0.19	8.7	146.32	19.5
ANO06.004.07.001.00B	YSLCY	7X1	300/500V	35/0.19	8.7	153.23	19.5
ANO06.004.08.001.00B	YSLCY	8X1	300/500V	35/0.19	9.4	177.45	19.5
ANO06.004.09.001.00B	YSLCY	9X1	300/500V	35/0.19	10.2	205.76	19.5
ANO06.004.10.001.00B	YSLCY	10X1	300/500V	35/0.19	11.1	240.59	19.5
ANO06.004.11.001.00B	YSLCY	11X1	300/500V	35/0.19	11.5	259.85	19.5
ANO06.004.12.001.00B	YSLCY	12X1	300/500V	35/0.19	11.5	266.76	19.5
ANO06.004.13.001.00B	YSLCY	13X1	300/500V	35/0.19	12.0	289.70	19.5
ANO06.004.14.001.00B	YSLCY	14X1	300/500V	35/0.19	12.0	296.60	19.5
ANO06.004.15.001.00B	YSLCY	15X1	300/500V	35/0.19	12.8	329.91	19.5
ANO06.004.16.001.00B	YSLCY	16X1	300/500V	35/0.19	12.8	336.80	19.5
ANO06.004.17.001.00B	YSLCY	17X1	300/500V	35/0.19	13.5	366.97	19.5
ANO06.004.18.001.00B	YSLCY	18X1	300/500V	35/0.19	13.5	373.87	19.5
ANO06.004.19.001.00B	YSLCY	19X1	300/500V	35/0.19	13.5	380.78	19.5
ANO06.004.20.001.00B	YSLCY	20X1	300/500V	35/0.19	13.9	402.49	19.5
ANO06.004.21.001.00B	YSLCY	21X1	300/500V	35/0.19	14.2	420.80	19.5
ANO06.004.22.001.00B	YSLCY	22X1	300/500V	35/0.19	15.2	466.72	19.5
ANO06.004.23.001.00B	YSLCY	23X1	300/500V	35/0.19	15.8	498.72	19.5
ANO06.004.24.001.00B	YSLCY	24X1	300/500V	35/0.19	15.8	505.62	19.5
ANO06.004.25.001.00B	YSLCY	25X1	300/500V	35/0.19	16.2	529.79	19.5
ANO06.004.26.001.00B	YSLCY	26X1	300/500V	35/0.19	16.2	536.68	19.5
ANO06.004.27.001.00B	YSLCY	27X1	300/500V	35/0.19	16.2	543.59	19.5
ANO06.004.28.001.00B	YSLCY	28X1	300/500V	35/0.19	16.7	572.66	19.5
ANO06.004.29.001.00B	YSLCY	29X1	300/500V	35/0.19	16.7	579.57	19.5



ANO06.004.30.001.00B	YSLCY	30X1	300/500V	35/0.19	16.7	586.46	19.5
ANO06.004.31.001.00B	YSLCY	31X1	300/500V	35/0.19	17.5	629.43	19.5
ANO06.004.32.001.00B	YSLCY	32X1	300/500V	35/0.19	17.5	636.34	19.5
ANO06.004.33.001.00B	YSLCY	33X1	300/500V	35/0.19	17.5	643.23	19.5
ANO06.004.34.001.00B	YSLCY	34X1	300/500V	35/0.19	18.1	678.87	19.5
ANO06.004.35.001.00B	YSLCY	35X1	300/500V	35/0.19	18.1	685.76	19.5
ANO06.004.36.001.00B	YSLCY	36X1	300/500V	35/0.19	18.1	692.66	19.5
ANO06.004.37.001.00B	YSLCY	37X1	300/500V	35/0.19	18.1	699.56	19.5

